ACRYLIC **FABRICS**

Technical data shown below are average values of the current production Die angegebenen technischen Daten sind Durchschnittswerte der laufenden Produktion Les données techniques ci-dessous sont des valeurs moyennes de la production courante	**ACRYLIC**	
Fabric Gewebe Tissu		Acrylic 100%, solution dyed Acryl 100%, spinndüsengefärbt Acrylique, 100% teint masse
Finishing Ausrüstung Traitement		Teflon - Cleangard
Weight Gewicht Poids total	DIN EN 12127	~ 300 g/m²
Width Warenbreite Laize	DIN EN 1773	120 cm
Colour fastness Farbechtheit Solidité des coloris	DIN EN ISO 105-B02	7-8 / 8
Light fastness	DIN EN ISO 105-B04	7-8/8
Oil repellency Ölabweisung Oléofugation	EN ISO 14419	4-5
Water repellency Wasserabweisung Résistance au mouillage superficiel	EN ISO 4920	100
Water column Wassersäule Colonne d'eau	EN 20 811	~ 330 mm
Tensile strength (daN/5 cm) Höchstzugkraft (daN/5 cm) Résistance à la rupture (daN/5 cm)	DIN EN ISO 13934-1	~ 140 / 95
Tear resistance (daN) Weft/Warp Weiterreißkraft (daN) Schuss/Kette Résistance à la déchirure (daN) Trame/Chaîne	EN ISO 13937-2	2.3 / 4

Acrylic fabrics guarantee the highest quality of the product, providing thermal comfort and protection against UV radiation. Made 100% out of acrylic fibre, dyed in chemical solution, provide excellent protection against colour loss. UV resistance coefficient is 7-8 at 8° scale. Impregnation with use of TEFLON® or SCOTCHGARD™ agents provides an excellent protective barrier and strengthens water-repellent qualities of the fabric, also preventing dirt adhering. Resistance to leaking: 330 mm water column. The advantage of acrylic fabric is also high resistance to tensile and tear.

WATERPROOF **FABRICS**

Technical data shown below are average values of the current production Die angegebenen technischen Daten sind Durchschnittswerte der laufenden Produktion Les données techniques ci-dessous sont des valeurs moyennes de la production courante	**ACRYLIC WATERPROOF**	
Fabric Gewebe Tissu		Acrylic 100%, solution dyed Acryl 100%, spinndüsengefärbt Acrylique 100% teint masse
Finishing Ausrüstung Traitement		Teflon - Cleangard
Weight Gewicht Poids total	DIN EN 12127	~ 330 g/m²
Width Warenbreite Laize	DIN EN 1773	120 cm
Colour fastness Farbechtheit Solidité des coloris	DIN EN ISO 105-B02	7-8 / 8
Light fastness	DIN EN ISO 105-B04	7-8/8
Oil repellency Ölabweisung Oléofugation	EN ISO 14419	4-5
Water repellency Wasserabweisung Résistance au mouillage superficiel	EN ISO 4920	100
Water column Wassersäule Colonne d'eau	EN 20 811	~ 1000 mm
Tensile strength (daN/5 cm) Höchstzugkraft (daN/5 cm) Résistance à la rupture (daN/5 cm)	DIN EN ISO 13934-1	~ 140 / 95
Tear resistance (daN) Weft/Warp Weiterreißkraft (daN) Schuss/Kette Résistance à la déchirure (daN) Trame/Chaîne	EN ISO 13937-2	3 / 4

Waterproof acrylic fabrics are characterized by increased resistance to leaking - about 1000 mm water column. Weave structure together with modern impregnation technology provides high air permeability even on hot days. Oeko-Tex® guarantees that offered acrylic fabrics, subjected to special impregnation for water resistance, are not toxic.

SOLID
ACRYLIC FABRICS

BLANCO

2042 UV: 97% Gtot: 18%

TANDEM BLANCO

8442 UV: 40% Gtot: 18%

NATURAL

2929 UV: 97% Gtot: 18%

MARFIL

2143 UV: 97% Gtot: 16%

SIROCO

2226 UV: 98% Gtot: 12%

VANILLA

2687 UV: 97% Gtot: 17%

AMBER BEIGE

0814 UV: 99% Gtot: 15.66%

BEIGE

2038 UV: 99% Gtot:11%

INTEGRAL

2838 UV: 99% Gtot: 8%

BERNA

2041 UV: 97% Gtot: 16%

MULTICO FLAME

7131 UV: 90% Gtot: 17%

NUAGES FLAME

6319 UV: 90% Gtot: 16%

AVENA

2296 UV: 98% Gtot: 11%

LIN MELANGE

8904 UV: 95% Gtot: 11%

TWEED BROWN

0403 UV: 99% Gtot: 6.82%

MINERAL

2831 UV: 99% Gtot: 7%

VISION

2250 UV: 99% Gtot: 7%

CHAUME PIGUE

U235 UV: 100% Gtot: 9%

CAFE

2316 UV: 99% Gtot: 5%

MARBLE



0923 UV: 99% Gtot: 12.8%

TWEED LATTE



7926 UV: 98% Gtot: 15%

SNOWFLAKE



3463 UV: 95% Gtot: 22%

TWEED ARGENT



0794 UV: 98% Gtot: 19%

DARK LINEN



6727 UV: 98% Gtot: 18%

SILVER WHITE



0364 UV: 99% Gtot: 7.67%

SILVER MELANGE



0028 UV: 99% Gtot: 7.36%

TANDEM PIEDRA



8445 UV: 80% Gtot: 7%

IRON



0937 UV: 99% Gtot: 6.57%

TWEED ROCK



7151 UV: 98% Gtot: 11%

SILVER

2821 UV: 97% Gtot: 13%

SILVER GREY



U190 UV: 90% Gtot: 15%

ZIP GREY



1597 UV: 98% Gtot: 13%

ZINC



2802 UV: 99% Gtot: 11%

PIETRA BEIGE



9415 UV: 98% Gtot: 8%

PERLA

2979 UV: 97% Gtot: 8%

ASH



0638 UV: 99% Gtot: 5.05%

ANTRACITA



8488 UV: 99% Gtot: 6%

TANDEM GRAFITO



8446 UV: 80% Gtot: 6%

EBONY TWEED

7324 UV: 98% Gtot: 10%

NEGRO

2170 UV: 99% Gtot: 5%

GRAPHITE ZIP



1524 UV: 98% Gtot: 12%

BASALT

8203 UV: 100% Gtot: 5%

FLANELLE



U104 UV: 100% Gtot: 5%

CHARCOAL TWEED



0402 UV: 99% Gtot: 5%

STITCH ANDESITE



0512 UV: 98% Gtot: 8%

STITCH CALCITE



0505 UV: 98% Gtot: 9%

STITCH RUBY



0507 UV: 98% Gtot: 9%

WHITE LINEN



8615 UV: 95% Gtot: 18%

PLATINUM

0715 UV: 90% Gtot: 12%

BREEZE



2777 UV: 99% Gtot: 6%

MARINE



2145 UV: 99% Gtot: 5%

AZUL

2018 UV: 99% Gtot: 7%

ORANGE

2050 UV: 99% Gtot: 13%

BRIGHT RED

2211 UV: 99% Gtot: 10%

PIMENT PIGUE

U412 UV: 100% Gtot: 10%

RIOJA



2210 UV: 99% Gtot: 8%

CARMIN PIGUE



U411 UV: 100% Gtot: 10%

GRANATE



2101 UV: 99% Gtot: 6%

SWITCH ROGUE



U390 UV: 100% Gtot: 8%

MARSEILLE FLAME



8854 UV: 100% Gtot: 11%

AMARILLO

2013 UV: 99% Gtot: 15%

TWEED SENAPE



0034 UV: 99% Gtot: 6.3%

CURRY



U105 UV: 100% Gtot: 12%

OCRE



2180 UV: 99% Gtot: 13%

POTIRON PIGUE



U413 UV: 100% Gtot: 10%

JADE



0396 UV: 99% Gtot: 8.12%

MELEZE PIGUE

U417 UV: 100% Gtot: 8%

VERDE BOTELLA



2245 UV: 99% Gtot: 6%

SWITCH EMPIRE

U393 UV: 100% Gtot: 8%

WATERPROOF

ACRYLIC FABRICS

BLANCO

8268 UV: 97% Gtot: 18%

MARFIL



8272 UV: 97% Gtot: 16%

AMARILLO

8265 UV: 99% Gtot: 15%

COCO

2047 UV: 99% Gtot: 9%

GRIS

8271 UV: 99% Gtot: 7%

ANTRACITA



2796 UV: 99% Gtot: 6%

TWEED NEGRO



2085 UV: 99% Gtot: 6%

NEGRO



8275 UV: 99% Gtot: 5%

ORCHESTRA

ACRYLIC FABRICS

NAPLES LINEN

D307 UV: 95% GTOT: 13% RAPPORT: 20 cm

NAPLES HEATHER



D305 UV: 90% GTOT: 11% RAPPORT: 20 cm

NAPLES LIGHT GREY

D304 UV: 90% GTOT: 11% RAPPORT: 20 cm

NAPLES STONE



D113 UV: 95% GTOT: 7% RAPPORT: 20 cm

PENCIL BEIGE



D324 UV: 95% GTOT: 14% RAPPORT: 30 cm

PENCIL YELLOW

D323 UV: 95% GTOT: 13% RAPPORT: 30 cm

PENCIL GREY



D320 UV: 95% GTOT: 14% RAPPORT: 30 cm

PENCIL DARK GREY



D319 UV: 100% GTOT: 8% RAPPORT: 30 cm

WIDE CHINE YELLOW

D300 UV: 95% GTOT: 13% RAPPORT: 60 cm

WIDE CHINE BEIGE



D301 UV: 95% GTOT: 12% RAPPORT: 60 cm

WIDE CHINE GREEN



D299 UV: 95% GTOT: 10% RAPPORT: 60 cm

URBAN

ACRYLIC FABRICS

CANDLELIGHT



0990 UV: 99% GTOT: 14% RAPPORT: 6 cm

LANTERN



0991 UV: 99% GTOT: 14.2% RAPPORT: 6 cm

CONCRETE



0993 UV: 99% GTOT: 10.8% RAPPORT: 6 cm

TIMBER



0992 UV: 99% GTOT: 9.6% RAPPORT: 6 cm

LANDSCAPE MINI

ACRYLIC FABRICS

CLAY



4627 UV: 99% Gtot: 11.3% RAPPORT: 2 cm

SAND



4620 UV: 99% Gtot: 11.4% RAPPORT: 2 cm

GRAVEL



4621 UV: 99% Gtot: 8.1% RAPPORT: 2 cm

LAVA



4623 UV: 99% Gtot: 8.3% RAPPORT: 2 cm

LANDSCAPE

ACRYLIC FABRICS

ROSOPSIDA

4657 UV: 99% Gtot: 14.96% RAPPORT: 24 cm

GOBI

4658 UV: 99% Gtot: 11.32% RAPPORT: 24 cm

BEACH



4662 UV: 99% Gtot: 16.37% RAPPORT: 24 cm

SAHARA DUST



4639 UV: 99% Gtot: 10.18% RAPPORT: 24 cm

CLIFFS



4643 UV: 99% Gtot: 6.78% RAPPORT: 24 cm

LADAKH



4655 UV: 99% Gtot: 5.91% RAPPORT: 24 cm

FJORD

4644 UV: 99% Gtot: 7.8% RAPPORT: 24 cm

NAMIB

4640 UV: 99% Gtot: 5.04% RAPPORT: 24 cm

VULCANO



4665 UV: 99% Gtot: 5% RAPPORT: 24 cm

CLASSICAL

ACRYLIC FABRICS

CLASSICAL GRIS

2103 UV: 97% Gtot: 16% RAPPORT: 20 cm

CLASSICAL AMARILLO

2015 UV: 97% Gtot: 15% RAPPORT: 20 cm

CLASSICAL MOSSY TWEED

9878 UV: 98% Gtot: 15% RAPPORT: 20 cm

CLASSICAL STONE TWEED

0597 UV: 98% Gtot: 12% RAPPORT: 20 cm

CLASSICAL BEIGE

2275 UV: 98% Gtot: 14% RAPPORT: 20 cm

CLASSICAL MARRON-BEIGE



2148 UV: 99% Gtot: 9% RAPPORT: 20 cm

FANTASY

ACRYLIC FABRICS

MILANO

3868 UV: 95% Gtot: 22% RAPPORT: 30 cm

CALGARY



6712 UV: 95% Gtot: 16% RAPPORT: 30 cm

SUNRISE



0180 UV: 99% Gtot: 14.73% RAPPORT: 30 cm

PALERMO

3605 UV: 90% Gtot: 21% RAPPORT: 17 cm

ARGENTINA



2016 UV: 98% Gtot: 15% RAPPORT: 30 cm

TARANTO



3672 UV: 95% Gtot: 21% RAPPORT: 24 cm

CANBERRA



0452 UV: 98.75% Gtot: 15.51% RAPPORT: 24 cm

DAKAR

2080 UV: 98% Gtot: 15% RAPPORT: 40 cm

LISBONNE NATURE



8224 UV: 95% Gtot: 13% RAPPORT: 30 cm

SALERNO

3861 UV: 90% Gtot: 20% RAPPORT: 30 cm

ALBERTA

5106 UV: 98% Gtot: 15% RAPPORT: 30 cm

MANCHESTER



2823 UV: 98% Gtot: 8% RAPPORT: 24 cm

SUNBURY



6106 UV: 98% Gtot: 10% RAPPORT: 30 cm

HARDELOT NATURE



8935 UV: 95% Gtot: 14% RAPPORT: 30 cm

SIENNE NATURE

D100 UV: 95% Gtot: 14% RAPPORT: 30 cm

TEXAS

2238 UV: 98% Gtot: 13% RAPPORT: 30 cm

PERU

2201 UV: 98% Gtot: 14% RAPPORT: 30 cm

ANDRIA



3881 UV: 95% Gtot: 18% RAPPORT: 30 cm

MARTE



2121 UV: 99% Gtot: 11% RAPPORT: 24 cm

BOLOGNA



3427 UV: 90% Gtot: 22% RAPPORT: 20 cm

JAMAICA



2701 UV: 98% Gtot: 14% RAPPORT: 30 cm

BRISBANE



0186 UV: 98.1% Gtot: 10.26% RAPPORT: 24 cm

EDMONTON

6711 UV: 98% Gtot: 13% RAPPORT: 30 cm

OSLO FIRE



7351 UV: 95% Gtot: 14% RAPPORT: 30 cm

WINTONE

0734 UV: 97.5% Gtot: 12.39% RAPPORT: 24 cm

FOGGIA

3864 UV: 95% Gtot: 18% RAPPORT: 30 cm

BROKEN HILL



0497 UV: 95% Gtot: 16% RAPPORT: 30 cm

NEW YORK



2174 UV: 98% Gtot: 14% RAPPORT: 30 cm

METROPOLITAN



3608 UV: 99% GTOT: 7% RAPPORT: 30 cm

GLADSTONE



0493 UV: 99% GTOT: 7.78% RAPPORT: 24 cm

SIENNE STONE

8931 UV: 95% GTOT: 13% RAPPORT: 30 cm

PLUTON



2179 UV: 99% GTOT: 10% RAPPORT: 24 cm

RAVENNA



3882 UV: 95% GTOT: 18% RAPPORT: 30 cm

FIRENZE

3889 UV: 90% GTOT: 20% RAPPORT: 30 cm

MELBOURNE



0054 UV: 99% GTOT: 11.74% RAPPORT: 24 cm

ORLANDO

2191 UV: 98% GTOT: 11% RAPPORT: 30 cm

CANADA

2061 UV: 99% GTOT: 8% RAPPORT: 30 cm

PADOVA



3875 UV: 95% GTOT: 17% RAPPORT: 30 cm

ANCONA

3746 UV: 90% GTOT: 19% RAPPORT: 24 cm

FABRIC RAPPORT

ACRYLIC FABRICS



Multiply repeated pattern of fabric, expressed in cm and given in the chart.